





FOOTING SCHEDULE

NO.	DIMENSION			REINFORCING		REMARKS
	L	W	T	TOP SURF	BOTTOM	
F-1	3'-0"	3'-0"	1'-0"	4#4	4#4	
F-2	4'-0"	2'-0"	1'-0"	4#4	4#4	
F-3	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-4	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-5	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-6	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-7	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-8	4'-0"	4'-0"	1'-0"	4#4	4#4	
F-9	4'-0"	4'-0"	1'-0"	4#4	4#4	

RELEASED FOR:

☐ Preliminary Only
☐ Bidding
☒ Permit
☐ Construction


Project: **MISSION HELPERS OF THE SACRED HEART**
 No. **100** Date **10/1/78**
 By **MEYERS AND D'ALEO, INC.**
 100 North Charles St., Baltimore, Md. 21201
 410-521-1000

MEYERS AND D'ALEO, INC.
 Architects and Planners
 100 North Charles St., Baltimore, Md. 21201
 410-521-1000

CAPRA ENGINEERING INC.
 100 North Charles St., Baltimore, Md. 21201
 410-521-1000

MISSION HELPERS OF THE SACRED HEART
 NEW CENTER
FOUNDATION PLAN
 RESIDENTIAL & MEETING CENTER BLDGS

Project: **MISSION** Date: **10/1/78**
 Drawn: **MEYERS** Check: **MEYERS**
S-1



Revised	By	Date	For
1	W.D.	10/1/68	1.00
2	W.D.	10/1/68	1.00
3	W.D.	10/1/68	1.00
4	W.D.	10/1/68	1.00
5	W.D.	10/1/68	1.00
6	W.D.	10/1/68	1.00
7	W.D.	10/1/68	1.00
8	W.D.	10/1/68	1.00
9	W.D.	10/1/68	1.00
10	W.D.	10/1/68	1.00

Meyers and D'Alco, Inc.
Architects and Planners
400 West Center St., Salt Lake City, Utah 84119
(801) 521-1000



MISSION
HELPERS
OF THE
SACRED
HEART


NEW CENTER

2ND FLOOR
FRAMING
PLAN
RESIDENTIAL +
MEETING CENTER

Project	10-0000	Date	10/1/68
Sheet	10-110	Of	110

S-3

RELEASED FOR	
☐	Preliminary Only
☐	Bidding
☒	Permit
☐	Construction



Rev.	Date	By	Check	Description
1	10/1/78	J. J. Meyer	J. J. Meyer	Initial Design
2	10/1/78	J. J. Meyer	J. J. Meyer	Revised Design
3	10/1/78	J. J. Meyer	J. J. Meyer	Final Design

Meyers and D'Aleo, Inc.
Architects and Planners
100 North Charles St., Baltimore, MD 21201
301-521-1000




MISSION HELPERS
OF THE
SACRED
HEART

NEW CENTER


ROOF
FRAMING
PLAN
RESIDENTIAL
BUILDING
MISSION CENTER

S-5

- DETAIL FOR WOOD TRUSSES AND FACTS
- WOOD TRUSSES SHALL BE DESIGNED FOR THE LOADS AND DIMENSIONS SPECIFIED ON THE DRAWING.
 - THE LATERAL BRACING OF THE TRUSSES IS THE RESPONSIBILITY OF THE TRUSS MANUFACTURER AND/OR THE GENERAL CONTRACTOR.
 - THE TRUSS CONFIGURATIONS SHOWN IN OUR DRAWING, SHEET S-10, AND S-11, ARE IN NATURE. THEY ARE INTENDED TO SHOW GENERAL CONFIGURATION AND LOADS. THE ACTUAL DESIGN OF THE TRUSS, INCLUDING THE JOINT CONFIGURATIONS AND LATERAL BRACING IS BY THE TRUSS MANUFACTURER.
 - SPECIAL TRUSSES TO SUPPORT SECONDARY TRUSSES SHOULD BE DESIGNED FOR TOTAL UNIFORM LOADS PLUS ANY CONCENTRATED LOADS DUE TO THE SECONDARY TRUSSES.
 - SECTION WALL REACTIONS SHALL BE PROVIDED TO THE STRUCTURAL ENGINEER SO THAT THE SUPPORTING STRUCTURE CAN BE ADEQUATELY DESIGNED.
 - SHOP DRAWINGS OF ALL TRUSSES AND CALCULATIONS SHALL BE SUBMITTED TO THE ARCHITECT/ENGINEER FOR APPROVAL BEFORE FABRICATION BEGINS.
 - ALL STRUCTURAL WOOD SHALL BE GRADE 2, WITH MINIMUM STRENGTH VALUES: 24-2800 PSI, 24-400 PSI, AND 24-7,000,000 PSI.
- RELEASED FOR:
- ☐ Preliminary Only
☐ Bidding
☒ Permit
☐ Construction



CHapel MEZZANINE PLAN
1/8" = 1'-0"



DETAIL OF OPENINGS

RELEASED FOR

- ☐ Preliminary Only
- ☐ Bidding
- ☒ Permit
- ☐ Construction

Revised	By	Date
1	MEYERS AND D'ALEO	1/15/68
2	MEYERS AND D'ALEO	1/22/68
3	MEYERS AND D'ALEO	2/12/68
4	MEYERS AND D'ALEO	2/12/68
5	MEYERS AND D'ALEO	2/12/68
6	MEYERS AND D'ALEO	2/12/68
7	MEYERS AND D'ALEO	2/12/68
8	MEYERS AND D'ALEO	2/12/68
9	MEYERS AND D'ALEO	2/12/68
10	MEYERS AND D'ALEO	2/12/68

Meyers and D'Aleo, Inc.
Architects and Planners
100 Park Street N. - Baltimore, Md. 21201
(301) 733-3000






MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER

ROOF
FRAMING
PLAN &
MEZZANINE PLAN
(FOR CHAPEL)
COMMUNITY BLDG.

Project: 68-1000
Sheet: 10 of 10
Date: 1/15/68

S-6



RELEASED FOR

☐ Preliminary Only

☐ Bidding

☒ Permit

☐ Construction

Drawn	Rev	By
1	1	GENERAL

Meyers and D'Aleo, Inc.
Architects and Planners
100 South Central St., Suite 200
San Jose, CA 95128



LEWIS ENGINEERING INC.




MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER

WALL
SECTIONS
& DETAILS
RESIDENTIAL
BUILDING

Project	Rev	Date
1	1	1/1/84

S-7










TYPICAL FLAT PLATE BAR PLACING DIAGRAM

NOTE: TOP & BOTTOM REINFORCING IN LONG DIRECTION OF SLAB SHOULD HAVE A 6" COVER TO BOTTOM REINFORCING IN SHORT DIRECTION OF SLAB. COVER TO TOP REINFORCING IN LONG DIRECTION OF SLAB SHOULD BE 1/2" MINIMUM.




TYPICAL BAR PLACING DETAIL FOR BEAMS, JOISTS & SLABS


NOTE: SEE NOTES ON REINFORCING IN LONG DIRECTION OF SLAB. COVER TO TOP REINFORCING IN LONG DIRECTION OF SLAB SHOULD BE 1/2" MINIMUM.



NOTE: C.J. @ 10' MAX



NOTE: CONSTRUCTION JOINT SIMILAR (NO JAW SCREENS) CONTAINING REINFORCING THROUGH JOINT.



RELEASED FOR:

☐ Preliminary Only
☐ Bidding
☐ Permit
☐ Construction

Revised	By	Date	Rev

Meyers and D'Alco, Inc.
Architects and Planners

100 North Ocean Dr., Suite 100, Santa Ana, CA 92701

909-330-3888









MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER

TYPICAL
DETAILS

Project	SA-001
Sheet	5-8

5-8



- RELEASED FOR:
- ☐ Preliminary Only
 - ☐ Bidding
 - ☒ Permit
 - ☐ Construction

Rev.	Date	By
1		
2		
3		
4		
5		

Meyers and D'Aleo, Inc.
Architects and Planners
100 North Center St., Suite 100
San Jose, CA 95128



MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER

SECTIONS
& DETAILS
MEETING & COMM.
OPERATION

Project	Rev.	Date

S-10

BEAM SCHEDULE

RESIDENTIAL BLDG

BEAM SCHEDULE

MEETING CENTERS

JOIST SCHEDULE

MEETING CENTER

BEAM SCHEDULE

RELEASED FOR:

- ☐
- Preliminary Only
-
- ☐
- Bidding
-
- ☒
- Permit
-
- ☐
- Construction

Myers and D'Aleo, Inc.
Architects and Planners
100 South Center St., Room 301
San Jose, CA 95128
(415) 733-3333



CARMEI ENGINEERING INC.

MISSION
HELPERS
OF THE
SACRED
HEART















NEW CENTER

BEAM &
JOIST
SCHEDULES
RESIDENTIAL &
MEETG. CENTRE

Project	2010-2011	Costs	
Revenue	2010-2011	Costs	

S-11

RESIDENTIAL BLDG				
COLUMN SCHEDULE				
FLOOR	ALL EXT. COLS.	ALL INT. COLS.	ALL INT. COLS.	ALL INT. COLS.
1st FLOOR	12x12	4x4	10x10	4x4
2nd FLOOR	12x12	4x4	10x10	4x4
3rd FLOOR	12x12	4x4	10x10	4x4
4th FLOOR	12x12	4x4	10x10	4x4
5th FLOOR	12x12	4x4	10x10	4x4
6th FLOOR	12x12	4x4	10x10	4x4
7th FLOOR	12x12	4x4	10x10	4x4
8th FLOOR	12x12	4x4	10x10	4x4
9th FLOOR	12x12	4x4	10x10	4x4
10th FLOOR	12x12	4x4	10x10	4x4
11th FLOOR	12x12	4x4	10x10	4x4
12th FLOOR	12x12	4x4	10x10	4x4



Project			Sheet
No.	Date	Name	Rate
1	1-20-21	CHURCH OF THE SACRED HEART	100%

Meyers and D'Aleo, Inc.
Architects and Planners
1000 North Charles St., Baltimore, MD 21201
200-751-1940



CARROLL ENGINEERING INC.
1000 North Charles St., Baltimore, MD 21201
200-751-1940






MISSION HELPERS
OF THE
SACRED
HEART

NEW CENTER





SECTIONS & DETAILS
RESIDENTIAL MURRAY CENTER

Project	Sheet	Date
MISSION HELPERS OF THE SACRED HEART	S-12	

S-12



NOTE: PROVIDE 2\"/>



SEE ARCH. DRAW. 20/144

RELEASED FOR:	
☐	Preliminary Only
☐	Bidding
☐	Permit
☐	Construction

Revised	By	Date
1	GENERAL REV.	
2		
3		
4		
5		

Meyers and D'Aleo, Inc.
Architects and Planners
1000 North Charles St. Baltimore, MD 21201
(410) 521-1000



CAREFULLY CHECKING SET

MISSION HELPERS
OF THE
SACRED
HEART

NEW CENTER

SECTIONS
& DETAILS
MEETING CENTER
& CHAPEL

Project	By	Date
1	20/144	
2		
3		
4		
5		

S-13

[illegible][illegible]

ALL CONCRETE SHALL CONFORM TO THE PROVISIONS OF ALL BUILDING CODE REGULATIONS FOR REINFORCED CONCRETE (ACI 308) AND ALL SPECIFICATIONS FOR STRUCTURAL CONCRETE (ACI 309) AND (ACI 310) (ACI 311) (ACI 312).

MINIMUM ULTIMATE DE FRY COMPRESSIVE STRENGTH OF CONCRETE SHALL BE FOLLOWS:

- GRADES 1, 2, 3 AND 4: 4000 PSI MINIMUM GRADE 5: 4500 PSI MINIMUM
- GRADES 6, 7 AND 8: 5000 PSI MINIMUM GRADE 9: 5500 PSI MINIMUM
- GRADES 10, 11 AND 12: 6000 PSI MINIMUM GRADE 13: 6500 PSI MINIMUM
- GRADES 14, 15 AND 16: 7000 PSI MINIMUM GRADE 17: 7500 PSI MINIMUM
- GRADES 18, 19 AND 20: 8000 PSI MINIMUM GRADE 21: 8500 PSI MINIMUM
- GRADES 22, 23 AND 24: 9000 PSI MINIMUM GRADE 25: 9500 PSI MINIMUM
- GRADES 26, 27 AND 28: 10000 PSI MINIMUM GRADE 29: 10500 PSI MINIMUM
- GRADES 30, 31 AND 32: 11000 PSI MINIMUM GRADE 33: 11500 PSI MINIMUM
- GRADES 34, 35 AND 36: 12000 PSI MINIMUM GRADE 37: 12500 PSI MINIMUM
- GRADES 38, 39 AND 40: 13000 PSI MINIMUM GRADE 41: 13500 PSI MINIMUM
- GRADES 42, 43 AND 44: 14000 PSI MINIMUM GRADE 45: 14500 PSI MINIMUM
- GRADES 46, 47 AND 48: 15000 PSI MINIMUM GRADE 49: 15500 PSI MINIMUM
- GRADES 50, 51 AND 52: 16000 PSI MINIMUM GRADE 53: 16500 PSI MINIMUM
- GRADES 54, 55 AND 56: 17000 PSI MINIMUM GRADE 57: 17500 PSI MINIMUM
- GRADES 58, 59 AND 60: 18000 PSI MINIMUM GRADE 61: 18500 PSI MINIMUM
- GRADES 62, 63 AND 64: 19000 PSI MINIMUM GRADE 65: 19500 PSI MINIMUM
- GRADES 66, 67 AND 68: 20000 PSI MINIMUM GRADE 69: 20500 PSI MINIMUM
- GRADES 70, 71 AND 72: 21000 PSI MINIMUM GRADE 73: 21500 PSI MINIMUM
- GRADES 74, 75 AND 76: 22000 PSI MINIMUM GRADE 77: 22500 PSI MINIMUM
- GRADES 78, 79 AND 80: 23000 PSI MINIMUM GRADE 81: 23500 PSI MINIMUM
- GRADES 82, 83 AND 84: 24000 PSI MINIMUM GRADE 85: 24500 PSI MINIMUM
- GRADES 86, 87 AND 88: 25000 PSI MINIMUM GRADE 89: 25500 PSI MINIMUM
- GRADES 90, 91 AND 92: 26000 PSI MINIMUM GRADE 93: 26500 PSI MINIMUM
- GRADES 94, 95 AND 96: 27000 PSI MINIMUM GRADE 97: 27500 PSI MINIMUM
- GRADES 98, 99 AND 100: 28000 PSI MINIMUM GRADE 101: 28500 PSI MINIMUM
- GRADES 102, 103 AND 104: 29000 PSI MINIMUM GRADE 105: 29500 PSI MINIMUM
- GRADES 106, 107 AND 108: 30000 PSI MINIMUM GRADE 109: 30500 PSI MINIMUM
- GRADES 110, 111 AND 112: 31000 PSI MINIMUM GRADE 113: 31500 PSI MINIMUM
- GRADES 114, 115 AND 116: 32000 PSI MINIMUM GRADE 117: 32500 PSI MINIMUM
- GRADES 118, 119 AND 120: 33000 PSI MINIMUM GRADE 121: 33500 PSI MINIMUM
- GRADES 122, 123 AND 124: 34000 PSI MINIMUM GRADE 125: 34500 PSI MINIMUM
- GRADES 126, 127 AND 128: 35000 PSI MINIMUM GRADE 129: 35500 PSI MINIMUM
- GRADES 130, 131 AND 132: 36000 PSI MINIMUM GRADE 133: 36500 PSI MINIMUM
- GRADES 134, 135 AND 136: 37000 PSI MINIMUM GRADE 137: 37500 PSI MINIMUM
- GRADES 138, 139 AND 140: 38000 PSI MINIMUM GRADE 141: 38500 PSI MINIMUM
- GRADES 142, 143 AND 144: 39000 PSI MINIMUM GRADE 145: 39500 PSI MINIMUM
- GRADES 146, 147 AND 148: 40000 PSI MINIMUM GRADE 149: 40500 PSI MINIMUM
- GRADES 150, 151 AND 152: 41000 PSI MINIMUM GRADE 153: 41500 PSI MINIMUM
- GRADES 154, 155 AND 156: 42000 PSI MINIMUM GRADE 157: 42500 PSI MINIMUM
- GRADES 158, 159 AND 160: 43000 PSI MINIMUM GRADE 161: 43500 PSI MINIMUM
- GRADES 162, 163 AND 164: 44000 PSI MINIMUM GRADE 165: 44500 PSI MINIMUM
- GRADES 166, 167 AND 168: 45000 PSI MINIMUM GRADE 169: 45500 PSI MINIMUM
- GRADES 170, 171 AND 172: 46000 PSI MINIMUM GRADE 173: 46500 PSI MINIMUM
- GRADES 174, 175 AND 176: 47000 PSI MINIMUM GRADE 177: 47500 PSI MINIMUM
- GRADES 178, 179 AND 180: 48000 PSI MINIMUM GRADE 181: 48500 PSI MINIMUM
- GRADES 182, 183 AND 184: 49000 PSI MINIMUM GRADE 185: 49500 PSI MINIMUM
- GRADES 186, 187 AND 188: 50000 PSI MINIMUM GRADE 189: 50500 PSI MINIMUM
- GRADES 190, 191 AND 192: 51000 PSI MINIMUM GRADE 193: 51500 PSI MINIMUM
- GRADES 194, 195 AND 196: 52000 PSI MINIMUM GRADE 197: 52500 PSI MINIMUM
- GRADES 198, 199 AND 200: 53000 PSI MINIMUM GRADE 201: 53500 PSI MINIMUM
- GRADES 202, 203 AND 204: 54000 PSI MINIMUM GRADE 205: 54500 PSI MINIMUM
- GRADES 206, 207 AND 208: 55000 PSI MINIMUM GRADE 209: 55500 PSI MINIMUM
- GRADES 210, 211 AND 212: 56000 PSI MINIMUM GRADE 213: 56500 PSI MINIMUM
- GRADES 214, 215 AND 216: 57000 PSI MINIMUM GRADE 217: 57500 PSI MINIMUM
- GRADES 218, 219 AND 220: 58000 PSI MINIMUM GRADE 221: 58500 PSI MINIMUM
- GRADES 222, 223 AND 224: 59000 PSI MINIMUM GRADE 225: 59500 PSI MINIMUM
- GRADES 226, 227 AND 228: 60000 PSI MINIMUM GRADE 229: 60500 PSI MINIMUM
- GRADES 230, 231 AND 232: 61000 PSI MINIMUM GRADE 233: 61500 PSI MINIMUM
- GRADES 234, 235 AND 236: 62000 PSI MINIMUM GRADE 237: 62500 PSI MINIMUM
- GRADES 238, 239 AND 240: 63000 PSI MINIMUM GRADE 241: 63500 PSI MINIMUM
- GRADES 242, 243 AND 244: 64000 PSI MINIMUM GRADE 245: 64500 PSI MINIMUM
- GRADES 246, 247 AND 248: 65000 PSI MINIMUM GRADE 249: 65500 PSI MINIMUM
- GRADES 250, 251 AND 252: 66000 PSI MINIMUM GRADE 253: 66500 PSI MINIMUM
- GRADES 254, 255 AND 256: 67000 PSI MINIMUM GRADE 257: 67500 PSI MINIMUM
- GRADES 258, 259 AND 260: 68000 PSI MINIMUM GRADE 261: 68500 PSI MINIMUM
- GRADES 262, 263 AND 264: 69000 PSI MINIMUM GRADE 265: 69500 PSI MINIMUM
- GRADES 266, 267 AND 268: 70000 PSI MINIMUM GRADE 269: 70500 PSI MINIMUM
- GRADES 270, 271 AND 272: 71000 PSI MINIMUM GRADE 273: 71500 PSI MINIMUM
- GRADES 274, 275 AND 276: 72000 PSI MINIMUM GRADE 277: 72500 PSI MINIMUM
- GRADES 278, 279 AND 280: 73000 PSI MINIMUM GRADE 281: 73500 PSI MINIMUM
- GRADES 282, 283 AND 284: 74000 PSI MINIMUM GRADE 285: 74500 PSI MINIMUM
- GRADES 286, 287 AND 288: 75000 PSI MINIMUM GRADE 289: 75500 PSI MINIMUM
- GRADES 290, 291 AND 292: 76000 PSI MINIMUM GRADE 293: 76500 PSI MINIMUM
- GRADES 294, 295 AND 296: 77000 PSI MINIMUM GRADE 297: 77500 PSI MINIMUM
- GRADES 298, 299 AND 300: 78000 PSI MINIMUM GRADE 301: 78500 PSI MINIMUM
- GRADES 302, 303 AND 304: 79000 PSI MINIMUM GRADE 305: 79500 PSI MINIMUM
- GRADES 306, 307 AND 308: 80000 PSI MINIMUM GRADE 309: 80500 PSI MINIMUM
- GRADES 310, 311 AND 312: 81000 PSI MINIMUM GRADE 313: 81500 PSI MINIMUM
- GRADES 314, 315 AND 316: 82000 PSI MINIMUM GRADE 317: 82500 PSI MINIMUM
- GRADES 318, 319 AND 320: 83000 PSI MINIMUM GRADE 321: 83500 PSI MINIMUM
- GRADES 322, 323 AND 324: 84000 PSI MINIMUM GRADE 325: 84500 PSI MINIMUM
- GRADES 326, 327 AND 328: 85000 PSI MINIMUM GRADE 329: 85500 PSI MINIMUM
- GRADES 330, 331 AND 332: 86000 PSI MINIMUM GRADE 333: 86500 PSI MINIMUM
- GRADES 334, 335 AND 336: 87000 PSI MINIMUM GRADE 337: 87500 PSI MINIMUM
- GRADES 338, 339 AND 340: 88000 PSI MINIMUM GRADE 341: 88500 PSI MINIMUM
- GRADES 342, 343 AND 34

UNLESS OTHERWISE SHOWN OR NOTED, ALL CONCRETE MEASUREMENTS SHALL
EXCEPT STAIRS AND COLUMN TIE. SHALL BE GIVEN AS FOLLOWS:
MEASUREMENT TO WITH MAIN REIN. (S) SHALL BE STAIRS AND COLUMN TIE
NOT BE WITH MAIN REIN. SHALL BE WITH MAIN REIN. SHALL BE WITH MAIN REIN.
CONCRETE TO WITH MAIN REIN. MEASUREMENT SHALL BE WITH MAIN REIN. SHALL BE WITH MAIN REIN.
CONCRETE TO WITH MAIN REIN. MEASUREMENT SHALL BE WITH MAIN REIN. SHALL BE WITH MAIN REIN.

[illegible][illegible][illegible][illegible]

SYSTEM OF PIPES, SHOWS ON THE STRUCTURAL DRAWING TO
CONTRACTOR ONLY. CONTRACTOR MUST ESTABLISH SHUT OFF POINTS
OF PLUMBING PIPES/MECHANICAL DRAINAGE.

DETAILS

WORK IN CONCRETE WALLS AND SLAB SHALL BE PROVIDED WITH
OPENING REINFORCING AS SHOWN ON DRAWING. THE CONTRACTOR SHALL
VERIFY THE SIZE AND LOCATION OF ALL OPENING SHOWN ON THE
MECHANICAL AND THE MECHANICAL-ELECTRICAL DRAWINGS AND SHALL
VERIFY DIMENSIONS OF ALL WALLS, FLOOR SLABS, MEMBER BOLTS,
ETC. OF STRUCTURE.

WHITE RACONNET CONTINUATION SHALL CONFORM TO ALL
REQUIREMENTS OF THE BUILDING CODE REGULATIONS ON
ENCLOSURE WHITE RACONNET. NOT 1994
WHITE AND GROUT FOR WHITE-RACONNET RACONNET SHALL CONFORM
TO THE REQUIREMENTS OF ASTM C-1081, TYPE 1
WHITE AND GROUT FOR WHITE-RACONNET RACONNET SHALL CONFORM TO
THE REQUIREMENTS OF ASTM C-1081, TYPE 1, TYPE 1
ALL WHITE RACONNET SHALL BE WHITE RACONNET COMPOSITE STRENGTH 2 N
2.000 PSI TYPE 1 ON WHITE RACONNET TYPE 1
WHITE RACONNET SHALL BE TYPE 1 ON WHITE RACONNET TYPE 1

STANDARD DEVIATION (SD) OF THE FOLLOWING NUMERIC PROPERTIES:

$\mu = 100$ PSI	$\sigma = 10$ PSI
$\mu = 500$ PSI	$\sigma = 50$ PSI
$\mu = 10$ PSI	$\sigma = 1,000,000$ PSI

STRUCTURAL WOOD STUDY SHALL BE: 1. TEST FOR WET & NATURAL WATER CONTENT OF 10% AND 24% FOLLOWING REMOVAL PROPERTIES:

10% = 1000 PSI	24 = 2400 PSI
10% = 875 PSI	24 = 800 PSI
10% = 75 PSI	24 = 1,400,000 PSI

[illegible]

Provide your school, business or community with the knowledge and tools to the Superintendence

* ROOF MEMBERS AS WELL AS PLYWOOD AND OTHER WOOD COMPONENTS ARE AS SHOWN BY TABLE 401 WILL BE MORE RESISTANT

[illegible][illegible]

☐ Preliminary Only
☐ Bidding
☒ Permit
☐ Construction

Meyers and D'Aleo, Inc.
Architects and Planners

100 West Charles St., Baltimore, Md. 21201
(410) 528-1000



FARMALL RECONSTRUCTION INC.




MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER





GENERAL
NOTES

Project #	9-41-02	Date	
Grade	6 (1st)	Level	






S-14





TRUSS TYPES @
RESIDENTIAL BUILDING



TRUSS TYPES @
MEETING CENTER



TRUSS TYPES @
COMM. OFF. BUILDING



TRUSS TYPES @
CHAPEL

RELEASED FOR	
☐	Preliminary Only
☐	Bidding
☐	Permit
☐	Construction

Rev.	Date	By	App.

Meyers and D'Aleo, Inc.
Architects and Planners
500 North Charles St., Baltimore, Md. 21201
(410) 528-1000







MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER
TRUSS TYPES

Project	MS-10-006	Date	
Drawn	JMS-10-006	Lead	

S-16



RELEASED FOR:

☐ Preliminary Only

☐ Bidding

☐ Permit

☐ Construction

Sheet	No.	Date	Rev.
1	1	10-10-10	1

Meyers and O'Alto, Inc.
Architects and Planners
100 West Street, Suite 100
St. Louis, MO 63102



CLARK & CLARK, INC.
ARCHITECTS

MISSION
HELPERS
OF THE
SACRED
HEART

NEW CENTER

MEETING
CENTER

DETAILS &
SECTIONS

Project	10-10-10
Drawn	10-10-10

S-17